## Chevrolet Malibu XL 2018 24C32 mileage correction via CG100 programmer

Chevrolet Malibu XL 2018 with BCM No. 13514637 and module chip 24C32. Used <u>CG100 programmer</u> to read and write mileage successfully. This post share the whole procedure with lots images.

Car model: Chevrolet Malibu

**Year:** 2018

BCM number: 13514637

Module chip: 24C32

Procedure:

Part 1: Check the specific car info.



Part 2: Record the current mileage value.





Part 3: Power off the vehicle, remove the BCM module and disassemble it.






www.obdexpress.co.uk



www.obdexpress.co.uk

Part 4: Confirm the BCM storage chip.






Part 5: Open <u>CG100 programmer</u>, enter the corresponding software.

🔚 CG100	-			-	-	7971	= - ×
9512	<b>•</b>	CO Atmel仪表	MB91位表	O.B.D.e	express	S.co.ųŁu	39
E iams		<b>会</b> 车身电脑	<b>《》</b> 汽车功赦	東他功能	里根(800		BBD )
重马C/	A\$182	Sacasa Bacasa Open	() 主马CAS4 () () () () () () () () () () () () ()	会。 选成钥匙	lick on "N	lileage (8	feet)".
🔚 CG100	_						= - ×
里程(8	8脚)	Enter	"Chevrol	et".			1510
0000 ##	$\odot$	$\otimes$	COLOR D	Na l		0	
	165	<b>#18</b>	bb.#	OBD	-	S.couk	SH2
Ø	105	FRIS CLIMA	800 H		-	11000 C	1.00
<b>2</b>			-		-	S.couk	雪妝
Ø	ø	CTURES.				S.couk	ste K
<b>2</b>	@ +#	Constant KSR		**			宝被
	() +*	€ K≆	200 200 200	931 1839		S.C. C. Juk	SHE Sector State
<ul> <li>予約</li> <li>※本国的</li> </ul>	● ## ## ## ## ### ### #### ##### ###### ##################################	€ KR ★ T	RA BR	रूम कह		S.C	生物



Part 6: Dismantle the chip 24C32, power on the CG100 programmer, follow the software instructions to operate, if any problem, please contact at email <u>Sales@OBDexpress.co.uk</u> for help.





CG100			= -
	BCM_135	92377 2015 Year	返回
		8時: 24C32 C	hange mileage
和开 保存	· 後取	导入内置数据	修改里程 27372 KM
[0][1][2][3][4][5][6][7] 00000000 72 E0 40 00 00 82 00 CE	[8][9][A][8][C][0][E][F] 0 1 2 37 80 90 CF 7A 14 41 41 7 . 6	OBDEXD	CCG1003.6Hware can
00000010 41 41 33 31 31 37 30	· · · · · · · · · · · · · · · · · · ·		read out the old value,
00000040 E4 E9 40 00 AA 48 54 00000050 12 34 55 78 9A 8C 88	Foter the new	value you want.	if the value is almost
00000066 31 38 00 72 48 10 AR 00000076 86 07 28 33 36 30 31 00000086 57 DC 40 00 82 A7 98	5了藏岛仪委部环,富贵接着用达片进行	Martin Contractor States and American Contractor States and American States and Americ American States and American States	the correct, please go
000000000 FF FF FF FF FF FF FF 000000000	ma	顺海	on, if not, please
00000000 FF F0 40 00 00 01 00 00000000 FC 04 83 91 0F 25 76 FF 0000000E6 FC 04 83 91 0F 25 76 00		· · · · · · · · · · · · · · · · · · ·	contact CG Constany.
transmission of the second of	ka ee es te en some ).	An extended and a second	分析的里程数,如果
	har oo ab oo		较小可进行下一步,
00000150 00 00 00 00 00 00 00 00 00 00 00 00 0	00 00 00 00 00 00 00 00	如米 次海	误差过大请第一时间 厂家技术客服。
00000176 SF 0E AD 7C AD 86 41 DE 00000188 E7 F7 40 00 39 12 00 01		1.9	
CG100			
COUNT	PCM 125	92377 2015 Year	
		52577 2015 Teal	返回
11开 保存	200 75-	导入内置数度	修改單程 7372 KM
	[8][9][A][8][C][0][E][F] 8 1 2	APROVID	
00000000 72 68 40 00 00 82 00 C6 00000010 41 41 23 31 31 37 30 34 00000020 48 51 55 55 55 55 55 85	37 80 88 CF 7A 14 41 41 r . 8 33 53 38 39 39 39 39 39 39 38 A A 3		S.co.uk
00000030 00 FF FF FF FF FF FF	B11版本:180317		
00000050 12 34 56 78 8A BC 80 00000060 31 38 00 72 48 1D A8 00000670 86 87 38 33 36 38 31	Haxionesan E在绘制各片角章		
00000050 12 34 56 78 8A BC 80 00000060 31 38 00 72 48 10 AB 000000670 86 87 38 33 35 38 31	Han Stateme		
D0000050 12 34 56 76 94 BC 80 D0000066 31 36 00 72 48 1D A6 D0000066 86 97 38 33 36 36 31 D0000988 57 DC 40 66 52 47 98 D0000988 57 C4 06 65 47 98 D0000868 FF FF FF FF FF FF FF D000066A0 FF FF FF FF FF FF FF D000066A0 FF FF 40 00 00 00 00 D0000006 00 90 00 00 00 00 00	HaxiG加密加加 日本12時の片作点 L作写で片理時件協議 BC 56 D9 32 4D 38 19 680	X.2MB.	_
D0000050 12 34 56 76 94 BC 00 D0000060 31 38 00 72 48 10 A6 D0000060 85 7 DC 40 08 52 A7 98 D0000080 57 DC 40 08 52 A7 98 D0000080 FF FF FF FF FF FF FF D000006A8 FF FF FF FF B5 27 00 D000006A8 FF FF FF FF B5 27 00 D000006A8 FF FF 45 97 00 00 00 00 77 D000006C FC 04 82 91 DF 28 76 00 D000000C FC 04 82 91 DF 28 76 00	Hext日由初知由 日本始終50日前日 日本写式月2月1月14日 	+ v X . 2 M 8 .	
00000050         12         34         56         76         94         BC         80           00000066         31         38         00         72         48         10         46           00000066         31         38         00         72         48         10         46           000000666         57         08         33         36         31         10         10           000000668         57         06         40         68         2         A7         98           000000686         57         56         57         57         50         57         98           000000666         67         58         60         90 </td <td>Hant Charter Hat Extra 800 H 110 Ent Sol H 12 SH 18 Ent Sol H 18 Ent S</td> <td> + v X . 2 M 8 .</td> <td>随意操作!</td>	Hant Charter Hat Extra 800 H 110 Ent Sol H 12 SH 18 Ent Sol H 18 Ent S	+ v X . 2 M 8 .	随意操作!
D0000050 12 34 56 76 94 BC 80 D0000066 31 38 00 72 48 1D AB D0000066 86 97 38 33 35 30 3 D00000888 57 DC 40 08 82 A7 98 D0000888 97 DC 40 08 82 A7 98 D0000888 97 DC 40 08 82 A7 98 D0000888 96 FF FF FF FF FF FF FF D0000868 96 98 00 00 00 00 00 D0000868 96 FF FF FF FF B 57 00 D0000868 97 DC 40 00 00 01 00 77 D0000000 FC 04 03 91 DF 28 76 70 D0000000 FC 04 03 91 DF 28 76 00 D000000 FC 04 00 90 FC	Havi C 1:::::::::::::::::::::::::::::::::::	<b> ,请勿 </b>	
D0000050         12         34         56         76         94         BC         80           D0000066         31         38         00         72         48         10         40           D0000066         31         38         00         72         48         10         40           D00000686         57         DC         40         46         24         79         81           D00000886         57         DC         40         46         82         A7         98           D00000886         57         DC         40         46         62         A7         98           D00000886         57         DC         40         46         00         60         40           D00000886         FF         FF         FF         FF         FF         79         40           D00000886         FF         FF         FF         FF         FF         79         70         74           D0000080         FC         40         29         10         75         76         00         76         40         76         76         40         77         74         40         60 <td>Havi C 1:::::::::::::::::::::::::::::::::::</td> <td><b> ,请勿 </b></td> <td>随意操作! ading out the data, ot disturb.</td>	Havi C 1:::::::::::::::::::::::::::::::::::	<b> ,请勿 </b>	随意操作! ading out the data, ot disturb.



Part 7: Weld the chip 24C32 back to the BCM, install the BCM back to the car, start the car, it display 7372KM, the mileage correction succeed.



Chevrolet Malibu XL 2018 24C32 odometer correction with <u>CG100</u> programmer , done!