
1Location of the Data Link Connector (DLC)

The DLC (Data Link Connector or Diagnostic Link Connector) is the standardized 16-cavity connector where diagnostic scan tools interface with the vehicle's on-board computer. The DLC is usually located 12 inches from the center of the instrument panel (dash), under or around the driver's side for most vehicles. If Data Link Connector is not located under dashboard, a label should be there telling location. For some Asian and European vehicles, the DLC is located behind the ashtray and the ashtray must be removed to access the connector. If the DLC cannot be found, refer to the vehicle's service manual for the location.









Diagnostic Trouble Codes (DTC) that identify which section of the emission control system has malfunctioned



OBDII/EOBD

Generic OBDII Diagnostics

The OBD II Diagnostics function is a fast-access option that allows you to carry out a quick test on the engine system of OBD II vehicles

0 ↔	Cread@r VIII	



Vehicle diagnosis

() ↔	Cread@r VIII	
		ОК
	4 <u>~</u> ,	
	Reset	ESC
	LAUNCH	

If the manufacturer of your vehicle is not listed, use the **UP/DOWN** scroll button to select **Other** and press the **OK** button.

() ↔	Cread@r VIII	I		
	LEXUS	vw	BMW	ОК
	LEXUS VI0.06	VW VI1 00	BMW V11.00	
	ACURA	AUDI	BENZ	
	ACURA VI0.06	AUDI VILOO	BENZ VIO.01	ESC
	CHRYSLER	CITROEN	DACIA	
	CHRYSLER VII 00	CITROEN VILOO	DACIA VII 00	

() ↔	Cread@r VIII	
	LEXUS VW BMW	
	LEXTO Checking files, please wait NZ	
	ACULA	
	CHRYSLER CITROEN DACIA	
	LAUNCH	

0 ↔	Cread@r VIII Diagnose Process O1 Engine electronics O2 Tra 03 Bra 15 Airt Tease walting 200% 14 LAUNCH	
0 ↔	Cread@r VIII Diagnose Process 01 Engine electroniCS 02 Tra 15 Airt 16 174 LAUNCH	

() ↔	Cread@r VIII Diagnose Process Read version information Read Clear Data s Please waid!	
	1/4 LAUNCH	

0 ↔	Cread@r VIII Diagnose Process Read version information Read Read version information Read Read version information Clear Part Number: 10 Read Part Number: 10 Clear Part Part Part Part Part Part Part Part	
P .		





Review



Review	
Review DTC	
Review Datastream	
Review Freeze Frame	
Delete DTC Data	
Delete Datastream	
Delete Freeze Frame	
1/6	
LAUNCH	

Reset





Setings



(0 ↔	Cread@r VIII	
	Tool Setup Language	ОК
	Unit of Measure Beeper	
	Record Mode	ESC
	1/4	
	LAUNCH	

Help




Register code

Cread@r VIII	
Tool Informa	tion
Boot version:	V02.02
Displays program version	V02.00
Diagnostic program versi	on: V11.08
Diagnostic library version	: V11.11
Serial Number:	96649000
Register Code:	47
-Exit	
LAUNCH	

Software Update

This function allows you to update the scan tool software through a computer. <u>www.dbscar.com</u>

If you are a new user, slide right arrow next to Register to enter registration page



User centerCC user service terms - Microsoft Internet Explorer	
File Edit View Favorites Tools Help	
🔇 Back 🔹 🛞 - 🔣 🧟 🏠 🔎 Search 🤺 Favorites 🤣 🎯 - 💺 🔜	
Address 🗿 http://uc.x431.com/enterCreateUser.action?service=http://www.dbscar.com/pad/landingPageIndex.action	
LAUNCH	
CE user registration	
CC user service terms	l
Welcome you to join the rite to participate in the exchange and discussion, for the maintenance of public order and social stability, please consciously abide by the following terms: 1, the constinuation of the Terms of Service and accept The overariby and operation of site services belong to us. The services provided must be in accordance with the articles of incorporation, publich terms of service and operating rules strictly enforced. By completing the registration process and click I agree button, which means that the user and the site agreement and accept all the terms of service.	
Services Services Site using its own operating system to provide users with various services through the Internet, this service is free. The user must: (1) the provision of equipment, including a FC, a nodem and equipped with Internet access devices. (2) Ferromal Internet access and payment of talephone charges related to this service, Take into account the importance of the itle products and services, the user agrees: (1) providing timely, detailed and accurate personal information. (2) update registration information with timely, detailed and accurate requirements. All the original type of information will be used for resistration information.	
 (1) no longer use the site services. (2) the end of the qualifications of the users use the site services. (3) notice this site to stop the users service. End user services, the user the right to use the site services immediately suspended. Since then, the site is no longer any obligation. 	
14, notices All notices can be sent to the user via e-mail or regular mail delivery. Powered by e-mail service transmitters message to the user, to tell them that the modification of the terms of service, service changes, or other important things.	
15, in the ad planning Users can join in the information they published promotional materials or participate in the advertising campaign to showcase their products on the site of the free service. Any such promotional methods, including the transport of goods, payment services, business conditions, guarantees and advertising-related description are only the appropriate users and advertising sellers. The site does not accept any responsibility for the site under no obligation to bear any part of the responsibility for this type of advertising sales.	
16, e-mail content ownership User-defined content includes: text, software, sound, photographs, video, charts; all ad content; site users salon service to provide users with business information. All of these content are protected by copyright, trademark, labels, and the protection of other property ownership laws. Therefore, the user only in the site and advertisers authorization to use such content, but not unauthorized reproduction, recycled content, or create content-related derivative products.	
17, the law Users and the site agreed to resolve by arbitration related to this Agreement and the controversy generated by the use of the Sites services, but this site have the right to choose to take the litigation, and the right to choose the admissibility of the proceedings of a court of competent jurisdiction. If any terms of service conflict with the law, these provisions will be as close as possible to re-parsing, while other provisions will remain on the user to produce legal effects and impact.	
© 1999-2012 LAUNCH Corporation All Rights Reserved. 幣日2-20042039 Nomepage LAUNCH page About us Contact us LAUNCH Dealer	

CC user registration		
* Vser name:	oedtmroeiwjf	
Ni ckname :	dkfrelmkrqwn	
* E-mail box(accept CC account) :	ewjrjernqlk@hotmail.com	
Mobile phone number:	ksdak	
* Password :	•••••	
* Confirm password:		
Office phone number:	83490ei5rkwqjroi	
Company name:	jdfsa	
* Sex :	○ Male ⊙ Female	
Birthday:	1992-05-07	
	Please click to select 💙 Please select state first 💙	
Location:	Please select country/region first 💌	
	Please select province / municipality first 💙	
File Edit View Favorites Tools Help		
G Back · O · R C / Search 🛧 Favorites		
Address 🗃 http://www.dbscar.com/		
LAUNCH		_
LAUNCE		Register Log in
Homepage Produ	cts News center Service User center About us	
		SAUATECC Dataset
X-431	V e-quality ratio vehicle diagnostic equipment	LAUNER
highly integrat	de equipment structure:smartbox, printer and main unit integrated in one ostic connector: diagnostic connector can be rotated by 90 degrees, hard to break the wire	Xa31IV
data flow reco	designbear drop, cold resistant, waar resistant, di atain resistant dinghaving data how recording, assing and palyada functions ostic functions: Inherited all diagnostic functions from X432 series (the diagnostic equipment, so far,	
has developed	the most of vehicle model software)	O
		UNIVERSITY OF
Company net	NS MORE O Ungrading anti-	MORE

If you have registered to be a member, input your name/CC and password in Fig. 3-4, and then click the "Log In" button to enter the main menu screen directly

LAUNCH User center

MBack to homepage



© 1999-2012 LAUNCH Corporation.All Rights Reserved. 粤B2-20042039

Homepage | LAUNCH homepage | About us | Contact us | LAUNCH dealer

File Edit View Favorites Tools Help Image: Second S	RCU-G EasyDiag For Android RCU-A 4431 iDiag For iOS CReader Professional 121 CReader Professional 122 CReader Professional 125 CReader Professional 125 CReader Professional 125 CReader Professional 125	- 👌 🗃			□ X 0 链接
LAUNCH	CRP123-EU CRP123-AP K431 IDiag For Android CRESETTER II-US K431 Pro CREADER VIII 2			Welcome <mark>r</mark> Exi	
Homepage Products News	CREADER VII+ CReader Professional 12E X431 Pro3 DBScar For iOS	User center	About us		
Product register Homepage -> User center -> Product register	X431 R RESETTER TOOL X431 Pad DBScar For Android RCU-C			Navigation menu Query bill	
	CRESETTER II-CN J2534			Bill statistics	
	EasyDiag For iOS G-ADS			Query fuel consumption	
	CRP123_LA CRP129_LA			Download center	
Serial number:		Can be used or not?		Diagnostic information	
Password:]		Market news Apply service supplier	
	Submit			Product register 1	
				User info maintenance	


http://mycar.x431.com/mycar/system/enterRegisterSysProduct.action	👻 🄁 Go
AUNCH	Welcome n (Exit
mepage Products News center Service User center About us	
Product register Iomepage -> User center -> Product register	Navigation menu
Microsoft Internet Explorer 🔀	Bill statistics
This SN can be used	Query fuel consumption
Product type: CREADER	Download center
Serial number: 96	Diagnostic information
Password:	Market news
	Apply service supplier
Submit	Product register
	User info maintenance
ch_DBSCar - Microsoft Internet Explorer t View Favorites Tools Help	
t View Favorites Tools Help • 🕑 · 🖻 🗟 🏠 🔎 Search 🜟 Favorites 🤣 🗟 - 🌺 🚍	
t View Favorites Tools Help	Co
t View Favorites Tools Help View Favorites 🕢 🔊 Search 🔆 Favorites 🕢 🔗 V 🌺 🚍	
t View Favorites Tools Help • 🕑 · 🖻 🗟 🏠 🔎 Search 🜟 Favorites 🤣 🗟 - 🌺 🚍	
t View Favorites Tools Help View Favorites Tools Help Search Provorites Provorites Proventies Product.action AUNCH mepage Products News center Service User center About us roduct register	
t View Favorites Tools Help Image: State of the stat	Welcome Exit Velcome Exit Query bill
t View Favorites Tools Help View Favorites Tools Help Search Provorites Provorites Proventies Product.action AUNCH mepage Products News center Service User center About us roduct register	Welcome Exit Welcome Exit Navigation menu Query bill Bill statistics
t View Favorites Tools Help View Favorites Tools Help Search Provorites Provorites Proventies Product.action AUNCH mepage Products News center Service User center About us roduct register	Welcome Exit Welcome Exit Used State Welcome Used State
t View Favorites Tools Help Image: Tools Help Image: Too	Welcome Exit Welcome Exit Exit Used State
t View Favorites Tools Help	Welcome Exit Welcome Exit Auery bill Bill statistics Query fuel consumption Download center Diagnostic information
t View Favorites Tools Help Image: Tools Help Image: Too	Welcome Exit Welcome Exit Used Welcome Exit Used Welcome Exit Used Welcome Used Welcome Used Welcome Used Welcome Used Welcome Used Welcome Welcome Welcome Welcome Used Welcome Welco
t View Favorites Tools Help	Welcome Exit Welcome Exit Auery bill Bill statistics Query fuel consumption Download center Diagnostic information

Doenload

		ad center		Pro	duct SN: 96		Navigation menu Purchase center
	Software name	Latest version	Upload date	Valid versions	Language		Upgrade center Order information
	CREADER VIII PRINT TOOL	1.00.001	2013-05-15	1.00.001 💌	English 🖌 Dow	nload	Download center 1
	CreaderUpdate Tool	1.00	2013-06-19	1.00 💌	English 🖌 Dow	nload	Product management
	CREADER VIII firmware	2.06	2013-08-08	2.06	English 💌 Dow	nload	Users E-mail box
							Product register
F	ROMEO	11.00	2013-08-15	11.00 💉		nload	
J	JPISUZU	10.02	2013-08-06	10.02 💌	English Chinese (Sim Dow	nload	User info maintenance
	LANCIA	11.00	2013-08-15	11.00 💌	Italian Spanish Dow	nload 2	
	DACIA	10.01	2013-06-21	10.01 💌	French	nload	
	Vauxhall	10.01	2013-05-06	10.01 💉		nload	
n N	MINI	11.00	2013-06-19	11.00 💌	English 💌 Dow	nload	
– 9	SUZUKI	11.10	2013-08-23	11.10 💌	English 💌 Dow	nload	
– 8	SAAB	11.00	2013-08-05	11.00 💌	English 🖌 Dow	nload	
– 8	SPRINTER	10.01	2013-08-10	10.01 💌	English 🖌 Dow	nload	

Different vehicle software Different language

	wnload center hepage -> User center -> Downlo	ad center				Navigation menu
1011	repage - vser center - DUWIIU					Purchase center
Product SN: 96						
	Software name	Latest version	Upload date	Valid versions	Language	Order information
	CREADER VIII PRINT TOOL	1.00.001	2013-05-15	1.00.001 💌	English 💌 Download	Download center
	CreaderUpdate Tool	1.00	2013-06-19	1.00 💌	English 💌 Download	Product management
	CREADER VIII firmware	2.06	2013-08-08	2.06	English 💌 Download	Users E-mail box
						Product register
	ROMEO	11.00	2013-08-15	11.00 💌	English 🖌 Download	
	JPISUZU	10.02	2013-08-06	10.02 💌	English 🖌 Download	User info maintenance
	LANCIA	11.00	2013-08-15	11.00 💌	English Chinese (Sim Download	
	DACIA	10.01	2013-06-21	10.01 💌	Spanish French Download	
	Vauxhall	10.01	2013-05-06	10.01 💌	English 🖌 Download	
	MINI	11.00	2013-06-19	11.00 💌	English 🖌 Download	
	SUZUKI	11.10	2013-08-23	11.10 💌	English 😽 Download	
	SAAB	11.00	2013-08-05	11.00 💌	English 🖌 Download	



			Sec.	
	CreaderU			_
	LAUNCH Creader Update	Tool(V1.00.000)		\times
		ead@r VII+/V	111	
		<mark>ه</mark>		
	h	ttp://www.x431.com		
	Select Language	English		
-	Product Serial Number	*****	٢	
	Update	Reset Device	Print Manager	
The second second second	The second second	the second second	Contraction in the second	